| REBIDDING FOR THE SUPPLY, DELIVERY AND INSTALLATION OF GOODS (FURNITURE AND EQUIPMENT) FOR THE NATIONAL ACADEMY OF SPORTS (NAS) – PHASE 1 AT NEW CLARK CITY | | | | | | |
|---|--------|-------|---|------------|---------------|--|
| TECHNICAL SPECIFICATIONS COMPLIANCE FORM | | | | | | |
| LOT | ITEMS | UNIT | | COMPLIANCE | | |
| NO. | TIEWIS | UNIT | SPECIFICATIONS | Compliant | Non-compliant | |
| | | | STRENGTH & CONDITIONING EQUIPMENT | T | | |
| F.1 | 2 | units | High-power Treadmill (regular commercial treadmill) | | | |
| | | | Weight: at least 193kg (425lbs) Max User Weight: 400lbs (181kg) Running surface width: at least 22" Motor: at least 4hp (8.0hp Peak) AC motor Speed Range (mph): at least 0.5 - 14mph (0.8 - 23 km/h) in 0.1 increments Step Up Height: at least 6" Handrails: at least 16" Incline: at least 10% Rollers: at least 2.5 inch / 6.4 centimeter diameter, precision-crowned, front and back Contact heart rate: Yes Telemetry: Yes Lower Side Rail material: at least Plastic End caps: at least Plastic Console: LED Display, membrane buttons, 4 numbers of workout, displays Speed Time Distance HR Calories Incline Resistance Manufacturer's Warranty: Minimum 2 years | | | |
| F.2 | 1 | units | MANUAL CURVED TREADMILL | | | |
| | | | Weight: at least 177 lbs/80 kg Max User Weight: up to 350 lb / 158.8 kg Steel Frame & Handrails + Corrosion-resistant Hardware Motor-free treadmill / indoor running machine Built-in handle and transport wheels Manufacturer's Warranty: Minimum 2 years | | | |
| F.3 | 2 | units | INDOOR CYCLING BIKE | | | |
| | | | Max User Weight: 330lbs (150kg) Frame: Steel Pedals: Dual-sided SPD & toe cage Handlebar Design: Ergo-formed, multi position, soft PVC w/vertical & horizontal adjustments Frame: Steel Accessory Holder: Dual, integrated on handlebar Transport Wheels: Yes, 3 | | | |

| REBIDDING FOR THE SUPPLY, DELIVERY AND INSTALLATION OF GOODS (FURNITURE AND EQUIPMENT) FOR THE NATIONAL ACADEMY OF SPORTS (NAS) – PHASE 1 AT NEW CLARK CITY | | | | | | | |
|---|-------|---------|--|------------|---------------|--|--|
| TECHNICAL SPECIFICATIONS COMPLIANCE FORM | | | | | | | |
| LOT | ITEMS | UNIT | SPECIFICATIONS | COMPLIANCE | | | |
| NO. | | Oitii i | or Low realitions | Compliant | Non-compliant | | |
| | | | STRENGTH & CONDITIONING EQUIPMENT | Г | | | |
| | | | Drive System: Poly-V belt Resistance System: Magnetic Via Lever Flywheel: Rear, aluminum, evenly-weighted | | | | |
| F.4 | 1 | units | SKI ERGOMETER | | | | |
| | | | Monitor - PM5 Power Requirement - Takes two D cell batteries. SkiErg provides operating power when machine is in use. Frame - Aluminum Machine Weight - SkiErg: 46 lb (20.9 kg), Floor stand: 35 lb (16 kg) Manufacturer's Warranty: Minimum 2 years | | | | |
| F.5 | 2 | units | ROWING ERGOMETER | | | | |
| | | | Overall Length - 96 in (244 cm) Width - 24 in (61 cm) Seat Height With standard legs - 14 in (36 cm) or with tall legs 20 in (51 cm) Monorail Length - 54 in (137 cm) Chain or Cord - Nickel-plated steel chain Chain/Cord Housing - Partially enclosed Monitor - PM5 Power Requirement - Takes two D cell batteries. During your workout, the monitor draws power from the spinning flywheel to extend battery life. Manufacturer's Warranty: Minimum 2 years | | | | |
| F.6 | 2 | units | ASSAULT BIKE | | | | |

| | | | TECHNICAL SPECIFICATIONS COMPLIANCE FO | ORM | |
|-----|-------|-------|--|------------|---------------|
| LOT | ITEMO | LINUT | | COMPLIANCE | |
| NO. | ITEMS | UNIT | SPECIFICATIONS | Compliant | Non-compliant |
| | | | STRENGTH & CONDITIONING EQUIPMENT | | |
| | | | LCD- Hi Contrast w/Improved Readability Comp Mode Rest and Work LEDs Bluetooth Sport Seat Elite All-metal Design Pedals Single Hand position Handlebars Aluminum Seat Post Enhanced commercial Frame Max User Weight - 350 lbs | | |
| F.7 | 2 | units | AIR POWERED FUNCTIONAL TRAINER | | |
| | | | Height Arms up: up to 101" Resistance/Handle: up to 50lbs (22kg) Cable length- both handles together: up to 70" / 1778 mm Cable length- single handle: up to 140" / 3556 mm Manufacturer's Warranty: Minimum 2 years | | |
| F.8 | 2 | units | FUNCTIONAL TRAINER ACCESSORIES | | |
| | | | Lat/Back Strap: 2' long from handles to d-ring 4' from handle to handle Ankle Cinch Strap: 4 1/2" wide nylon and thick neoprene padding, with a steel D-ring to accommodate up to a 44" waist Chop Bar: 3', made of a knurled lightweight Aluminum tubing Thigh Cinch Strap: made of 4 1/2" wide nylon and thick neoprene padding Resistance/Handle: up to 50lbs (22kg) Triceps Rope: 3' long x 1" - 1.5 "diameter Polypropylene rope Manufacturer's Warranty: Minimum 2 years | | |
| F.9 | 2 | units | ATHELETIC POWER RACK | | |
| | | | Machine Weight: up to 515lb (234kg) Max User Weight: up to 350lb (159kg) | | |

| REBIDDING FOR THE SUPPLY, DELIVERY AND INSTALLATION OF GOODS (FURNITURE AND EQUIPMENT) FOR THE NATIONAL ACADEMY OF SPORTS (NAS) – PHASE 1 AT NEW CLARK CITY | | | | | | |
|---|-------|-------|---|------------|---------------|--|
| TECHNICAL SPECIFICATIONS COMPLIANCE FORM | | | | | | |
| LOT | ITEMS | UNIT | | COMPLIANCE | | |
| NO. | TIEWS | UNIT | SPECIFICATIONS | Compliant | Non-compliant | |
| | | | STRENGTH & CONDITIONING EQUIPMENT | Г | | |
| | | | Max Training Weight: up to 675lb (306kg) Manufacturer's Warranty: Minimum 2 years | | | |
| F.10 | 3 | units | MULTI-ADJUSTABLE BENCH | | | |
| | | | Machine Weight: up to 125 lbs (57 kg) Vertical height from floor to Seat Pad: up to 17" (43.2 cm) at the flat position Max User Weight: up to 350lb (159kg) Max User Weight: up to 500 lbs (227 kg) Manufacturer's Warranty: Minimum 12 months | | | |
| F.11 | 2 | units | FLAT OLYMPIC BENCH WITH WEIGHT STORAGE | | | |
| | | | Machine Weight: up to 150 lbs (68 kg) Max User Weight: 500 lbs (227 kg) Manufacturer's Warranty: Minimum 12 months | | | |
| F.12 | 2 | sets | RUBBER DUMBBELL SET WITH URETHANE HANDLES AND RETURN RACK | | | |
| | | | 2.5kg-25kg Customizable logo (2.5kg increments) / 10 pairs Includes dumbbell rack Manufacturer's Warranty: Minimum 12 months | | | |
| F.13 | 1 | unit | ADJUSTABLE PULLEY OUTRIGGER | | | |
| | | | Weight: up to 720 lbs (327 kg) Weight in stack: 190lbs (95kg) Weight in stack: up to190lbs (95kg) Cushioning: Contoured cushions utilize a molded foam for superior comfort and durability Hand Grips: Grips retained with aluminum collars, preventing them from slipping during use; Hand grips are a durable urethane composite Instructional Placards: Easy-to-follow instructions illustrate proper use and muscles trained Manufacturer's Warranty: Minimum 12 months | | | |
| F.14 | 1 | unit | PLATE-LOADED LINEAR HACK SQUAT | | | |
| | | 4 | Machine Weight: up to 410 lbs (186 kg) | | | |

| REBID | | | SUPPLY, DELIVERY AND INSTALLATION OF GOODS NATIONAL ACADEMY OF SPORTS (NAS) – PHASE 1 | | |
|-------|--------|-------|--|------------|---------------|
| | | | TECHNICAL SPECIFICATIONS COMPLIANCE F | ORM | |
| LOT | ITEMS | UNIT | | COMPLIANCE | |
| NO. | ITENIS | UNII | SPECIFICATIONS | Compliant | Non-compliant |
| | • | | STRENGTH & CONDITIONING EQUIPMENT | Γ | |
| | | | Starting Resistance: at least 60 lbs (27.2 kg) Standard Weight Horns: 2 Max User Weight: 300 lb (136 kg) Manufacturer's Warranty: Minimum 12 months | | |
| F.15 | 10 | sets | Olympic Bumper Plates | | |
| | | | Black Bumper Plates 2pcs x 20kg; 15kg; 10kg; 5kg; 2.5kg, IWF Standards Manufacturer's Warranty: Minimum 12 months | | |
| F.16 | 2 | units | Olympic Weightlifting Platform | | |
| | | | For serious weight training facility Platforms clearly define training areas offer stable training surface protect existing flooring and help to dampen sound Insert size varies by rack; 8cm thickness for outstanding durability and reduced noise Steel tube side frames and gusseted corners provide structural integrity and a finished look Manufacturer's Warranty: Minimum 12 months | | |
| F.17 | 5 | sets | Olympic Bar (for Men - 20kg) | | |
| | | | 22mm, chrome bushing, 20kg - with lock Manufacturer's Warranty: Minimum 12 months | | |
| F.18 | 5 | sets | Olympic Bar (for Women - 15kg) | | |
| | | | 22mm, chrome bushing, 15kg - with lock Manufacturer's Warranty: Minimum 12 months | | |
| F.19 | 2 | sets | Trap Bar | | |
| | | | Olympic Chrome Trap bar with lock; dual handle with hexagonal frame Manufacturer's Warranty: Minimum 12 months | | |

| | | | TECHNICAL SPECIFICATIONS COMPLIANCE F | ORM | |
|------|-------|-------|--|------------|---------------|
| LOT | ITEMO | LINUT | | COMPLIANCE | |
| NO. | ITEMS | UNIT | SPECIFICATIONS | Compliant | Non-compliant |
| | • | | STRENGTH & CONDITIONING EQUIPMENT | - | • |
| F.20 | 4 | units | MEDICINE BALL | | |
| | | | (1x1kg;2kg;3kg;4kg;5kg) Hollow interior for more bouncing and dropping Weight: 1kg-5kg (5pcs) Textured rubber surface for improved grip Oversized numbering for easy weight identification Manufacturer's Warranty: Minimum 12 months | | |
| F.21 | 3 | units | Slam Ball | | |
| | | | Quality, durable construction to withstand years of heavy use No-bounce design makes it perfect for plyometric slam ball exercises Rubberized, textured surface to insure a superior grip 4 Weight Options: 5lbs, 10lbs, 15lbs, 20lbs at least 10" diameter Manufacturer's Warranty: Minimum 12 months | | |
| F.22 | 4 | units | Suspension Trainer | | |
| | | | Quality, durable construction to withstand years of heavy use No-bounce design makes it perfect for plyometric slam ball exercises Rubberized, textured surface to insure a superior grip 4 Weight Options: 5lbs, 10lbs, 15lbs, 20lbs at least 10" diameter Manufacturer's Warranty: Minimum 12 months | | |
| F.23 | 3 | units | Kettlebell with Chrome Handle Set | | |
| | | | 60kg Total (1x 20kg; 16kg; 12kg; 8kg; 4kg) Black Rubber Cover Chrome Handles 5pcs total Manufacturer's Warranty: Minimum 12 months | | |

| | | | TECHNICAL SPECIFICATIONS COMPLIANCE F | ORM | |
|---------|-------|-------|--|------------|---------------|
| LOT NO. | ITEMS | UNIT | CDECIFICATIONS | COMPLIANCE | |
| | IIEWS | UNII | SPECIFICATIONS | Compliant | Non-compliant |
| | | | STRENGTH & CONDITIONING EQUIPMENT | - | |
| F.24 | 3 | units | Plyo Box | | |
| | | | Materials: Hard foam Length: 20in Width 24.6in Height 30in Manufacturer's Warranty: Minimum 12 months | | |
| F.25 | 3 | sets | Speed, Agility, Quickness Kit | | |
| | | | Materials: Hard foam Length: 20in Width 24.6in Height 30in Manufacturer's Warranty: Minimum 12 months | | |
| F.26 | 10 | sets | Recovery Kit | | |
| | | | Recovery Ball, Massage Roller, Foam Roller, Gym Ball, Yoga Mats (1 piece of each) Manufacturer's Warranty: Minimum 12 months | | |
| F.27 | 3 | sets | Elastic Band Kit | | |
| | | | Recovery Ball, Massage Roller, Foam Roller, Gym Ball, Yoga Mats (1 piece of each) Manufacturer's Warranty: Minimum 12 months | | |
| F.28 | 2 | units | Wall-mounted Gym Timer | | |
| | | | Digital wall-mounted electronically operated Manufacturer's Warranty: Minimum 12 months | | |

| REBIDDING FOR THE SUPPLY, DELIVERY AND INSTALLATION OF GOODS (FURNITURE AND EQUIPMENT) FOR THE NATIONAL ACADEMY OF SPORTS (NAS) – PHASE 1 AT NEW CLARK CITY | | | | | | | |
|---|------------------------------------|-------|---------------------------------------|------------|---------------|--|--|
| TECHNICAL SPECIFICATIONS COMPLIANCE FORM | | | | | | | |
| LOT | LOT NO. | LINIT | UNIT SPECIFICATIONS | СОМЕ | COMPLIANCE | | |
| NO. | | ONIT | | Compliant | Non-compliant | | |
| | | | STRENGTH & CONDITIONING EQUIPMEN | IT | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | Bidder's Authorized Representative | | | | | | |
| | | | | | | | |
| Signature over Printed Name | | | re over Printed Name Principal Bidder | / Supplier | | | |